

Specifications of EAN21-P

3-wire earpiece with detachable transparent acoustic tube and clip, colour beige, Hytera Logo (RoHS).

With an integrated chip for verification as an original Hytera accessory. Separate PTT, MIC and speaker for secret communication

Flexible transparent tube for covertness and comfort Detachable transparent tube for easy replacement and better personal hygiene

Weight	about 65 g
Color	beige
PTT Key	available
VOX	Determined by the terminal
Emergency Key	none

3-wire earpiece with detachable transparent acoustic tube and clip, colour beige, Hytera Logo (RoHS).

With an integrated chip for verification as an original Hytera accessory. Separate PTT, MIC and speaker for secret communication

Flexible transparent tube for covertness and comfort Detachable transparent tube for easy replacement and better personal hygiene

Connector	13pin
Microphone Sensitivity	-42±3 dB @ 1 kHz 3.0 V 2.2 K, 0 dB = 1 V/Pa
Speaker Power	10 mW (rated);300 mW (max.)
Speaker Impedance	220 Ω±15% @ 1 kHz
Speaker Frequency Response	117±3 dB @ 1 kHz at 10 mW
Certification	CE, UL913

3-wire earpiece with detachable transparent acoustic tube and clip, colour beige, Hytera Logo (RoHS).

With an integrated chip for verification as an original Hytera accessory. Separate PTT, MIC and speaker for secret communication

Flexible transparent tube for covertness and comfort Detachable transparent tube for easy replacement and better personal hygiene

IP Rating	none
Anti-explosion levels	none
Operating Temperature	-20°C to 60°C
Storage Temperature	-20°C to 80°C
Note	Connector and SR are black
